

2022 MATERIAL SAFETY DATA SHEET EVOLUTION™ PERGOLA





Reviewed: October 11, 2021

1 IDENTIFICATION

Product Identification: Evolution™ Pergola

USE: Typical uses of pergola include pedestrian open framing systems around residence, commercial,

and industrial properties. Pergolas are typically used to create light shade on decks or patios.

Manufacturer: Fortress Building Products

1720 N. 1st St. Garland, TX 75040

Tel: 972.231.4001

Emergency Info: (USA Only) 866.323.4766

customercare@fortressbp.com

2 HAZARDOUS IDENTIFICATIONS

OHSA Classification: Non-Hazardous

Signal Words: None
Hazard Statement: None
Hazard Pictograms: None
Risk Phrases: None

Classification of the Substance or Mixture:

This product is not classified according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Information Concerning Particular Hazard for Human and Environment:

This product is not labeled according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Classification System:

This classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), extended by company and literature data





3 COMPOSITION		
CAS NUMBER	NAME PE	RCENTAGE
7439-89-6	iron	97.5%
7440-44-0	carbon	<1.0%
7440-21-3	silicon	<1.0%
7439-96-5	manganese	<1.0%
7704-34-9	sulfur	<1.0%
7723-14-0	phosphorus	<1.0%
7440-66-6	zinc (coating)	1.0%
25135-73-3	1, 3-benzenedicabocylic acid, 1, 3-dimethyl ester, polymer with	1.0%
	1,4-dimethyl 1,4-benzenedicarboxylate and 1,2-ethanediol	

4	FIRST AID	
General First Aid:	No special measurements required	
After Inhalation:	Supply Fresh Air; consult doctor in case of discomfort	
After Skin Contact:	Generally, product does not cause skin irritation	
After Eye Contact:	Rinse open eye for several minutes under running water	
After Swallowing:	If symptoms develop, consult doctor	
After Inhalation:	Thermal degradation and combustion byproducts may be toxic if inhaled If inhaled, consult doctor	
Most Important		
Symptoms/Effects,		
Acute or Delayed:	No relevant information	





5 FIRE FIGHTING MEASURES

Flammability: Non-flammable

Suitable Extinguishing Agents: Use firefighting measures that are suitable for environment

Specific hazards: None

Special Protective

Equipment for Fire fighters: No special equipment

6 ACCIDENTAL RELEASE MEASURES

Methods for Clean up: Pick up mechanically

Environmental precautions: None
Personal Precautions: None

7 HANDLING AND STORAGE

Precautions for Safe Handling: None, reference general occupational hygienic measures in Section 8

Conditions for safe storage: None

8 EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Limits: None

Appropriate Engineering Controls: None

Personal Precautions: Use gloves especially if product is hot

Protection Equipment

Specification: Glove material must be impermeable and resistant to steel





9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form: Solid

Color: Varies

Odor: None

Odor Threshold: Not Applicable

pH: Not Applicable

Melting Point: Not Applicable

Freezing Point: Not Applicable

Boiling Point: 5,252°F

Flash Point: Not Applicable

Evaporation Rate: Not Applicable

Flammability: Not Applicable

Upper Limit: Not Applicable

Lower Limit: Not Applicable

Vapor Pressure: Not Applicable

Vapor Density: Not Applicable

Relative Density: .283 lb/in³, [7 g/cm³]

Solubility: Not Applicable

Partition Coefficient: Not Applicable

Auto-Ignition Temp: Not Applicable

Decompression Temp: Not Applicable

Viscosity: Not Applicable





10 STABILTIY AND REACTIVITY

Reactivity: Not applicable

Chemical Stability: Not applicable

Possibility of Hazardous Reaction: Not applicable

Conditions to Avoid: Avoid overheating

Incompatible Materials: Not applicable

Hazardous Decomposition Products: Not applicable

Thermal Degradation and

Combustion Byproducts: In common with most organic materials, degradation and combustion

byproducts may be toxic and should not be inhaled. Thermal degradation is not significant at temperatures achieved during proper installation, as directed by product installation guidelines. At temperatures higher than those recommended for proper instillation, most significantly if the product burns, the thermal degradation and combustion byproducts will depend on the base polymer and additives used, and may include, but are not limited

to, carbon dioxide and low molecular weight hydrocarbons.

11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

LD50 Values

7439-89-6 iron

Oral LD50 984mg/kg (rat)

LD50 Values

7439-96-5 manganese

Oral LD50 9g/kg (rat)

LD50 Values

740-21-3 silicon

Oral LD50 3160mg/kg (rat)

Skin Corrosion/Irritation: Irritating effect possible Serious eye damage/irritation: Irritating effect possible Respiratory or skin sensitization: Sensitization Possible

Toxicology Information: When handled according to specification, no long or short term, harmful

effects exist

IARC (International Agency

for Research of Cancer): Zinc oxide (welding fumes) listed as carcinogenic (IARC Group 1)

NTP (National Toxicology Program): Ingredients not listed

OSHA-Ca: Ingredients not listed





12 ECOLOGICAL INFORMATION

Ecotoxicology: No available data

Prevent dust from cutting to enter storm drain or waterway

Persistence and Degradability: No available data
Bioaccumulative Potential: No available data
Mobility in Soil: No available data

Prevent dust from cutting to accumulate in soil that might migrate to ground water

Other Adverse Effects: No available data

13 DISPOSAL CONSIDERATIONS

Disposal: Scrap metal and processing dust should be recycled or disposed of with household waste

Container Cleaning

and Disposal: Dispose of according to official regulations

14 TRANSPORTATION INFORMATION

UN Number (DOT, IMDG, IATA): Not regulated UN Proper Shipping Name (DOT, IMDG, IATA): Not regulated

Transport Hazard Class (DOT, IMDG, IATA): Not regulated, labels not required on outside shipping

container for these products and all products may be

shipped through U.S. Postal Services

Packaging Group (DOT, IMDG, IATA):

Not regulated

Environmental Hazards, Marine pollutants:

Not regulated

Special Precautions: None

15 REGULATORY INFORMATION

Section 355: Not applicable

Section 313: Galvanized steel products contain zinc with ~1.0% by weight

California Prop 65: None of the listed ingredients

16 OTHER INFORMATION

This information is accurate and reliable to the best of our knowledge. It is furnished without warranty, expressed or implied. Fortress Iron assumes no legal responsibility for hazards which may result through the use of, or reliance upon, this data. This MSDS was created in the compliance with health and safety practices and is not intended to be used for any other purpose.

Revision History:

October 11, 2021 - Original Issue